

WYKAZ OZNAKOWANIA POZIOMEGO

DW-690 Ciechanowiec - Ostrożany

LINIE SEGREGACYJNE I KRAWĘDZIOWE (elementy liniowe)

wykaz nr 10.2.1

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
DROGA WOJEWÓDZKA 690														grubowarstwowe	strona lewa
22+700	22+818								118,0						
22+818	22+831							13,0							
22+831	22+877								46,0						
22+877	22+890							13,0							
22+890	23+158								268,0						
23+158	23+172							14,0							
23+172	23+219								47,0						
23+219	23+770							551,0							
23+770	23+835,5								65,5						
23+835,5	23+849,5							14,0							
23+849,5	23+871,0								21,5						
skrzyżowanie 23+880							8,0		10,0				8,0		
									10,0						
23+889	23+996								107,0						
23+996	24+508							512,0							
24+508	24+569						61,0								
24+569	25+088							519,0							
25+088	25+163								75,0						
25+163	25+677							514,0							
25+677	25+719								42,0						
25+719	25+733							14,0							
25+733	25+762								29,0						
25+762	25+823						61,0								
25+823	25+839								16,0						
25+839	25+852							13,0							
25+852	26+094								242,0						
26+094	26+110							16,0							

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
26+110	26+210								100,0						strona lewa
26+210	26+543							333,0							
26+543	26+680								137,0						
26+680	26+692							12,0							
26+692	26+763								71,0						
26+763	26+774							11,0							
26+774	26+821								47,0						
26+821	26+834							13,0							
26+834	26+860								26,0						
26+860	26+873							13,0							
26+873	26+910								37,0						
26+910	26+924							14,0							
26+924	26+968								44,0						
26+968	26+980							12,0							
26+980	27+004								24,0						
27+004	27+485							481,0							
27+485	27+580								95,0						
27+580	27+594							14,0							
27+594	27+601								7,0						
27+601	27+613							12,0							
27+613	27+628								15,0						
skrzyżowanie 27+637,09							11,0		19,0				30,0		
									17,0						
27+652	27+745								93,0						
27+745	28+122							377,0							
28+122	28+145								23,0						
28+145	28+226						81,0								
28+226	28+234								8,0						
28+238	28+252								14,0						
28+252	28+265							13,0							
28+265	28+307								42,0						
28+307	28+321						14,0								
28+321	28+347								26,0						
28+347	29+220							873,0							

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
29+220	29+295								75,0						strona lewa
29+295	29+851							556,0							
29+851	29+924								73,0						
29+924	30+535							611,0							
30+535	30+618								83,0						
30+618	30+976							358,0							
30+976	31+048								72,0						
31+048	31+109						61,0								
31+109	31+116								7,0						
31+120	31+124								4,0						
skrzyżowanie 31+130,78							9,0		8,0				8,5		
									8,0						
31+143	31+240								97,0						
31+240	31+498							258,0							
31+498	31+685								187,0						
31+685	31+801							116,0							
31+801	31+827								26,0						
31+827	31+839							12,0							
31+839	31+902								63,0						
31+902	31+915							13,0							
31+915	31+994								79,0						
31+994	32+104							110,0							
32+104	32+121								17,0						
32+121	32+136							15,0							
32+136	32+183								47,0						
32+183	32+197							14,0							
32+197	32+237								40,0						
32+237	32+250							13,0							
32+250	32+300								50,0						
32+300	32+312							12,0							
32+312	32+376								64,0						
32+376	32+391							15,0							
32+391	32+452								61,0						
32+452	32+467							15,0							

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
32+467	32+480								13,0						strona lewa
32+480	32+494							14,0							
32+494	32+574								80,0						
32+574	32+589							15,0							
32+589	32+661								72,0						
32+661	33+300							639,0							
33+300	33+377								77,0						
33+377	33+843							466,0							
33+843	33+850								7,0						
33+850	33+911						61,0								
33+911	33+940								29,0						
skrzyżowanie 33+965,78						50,0	9,0		21,0						
0+027	0+061								34,0						
0+027	0+033								6,0						
0+033	0+044							11,0							
0+044	0+061								17,0						
0+038	0+041		3,0												
0+041	0+061												20,0		
							9,0		31,0						
33+992	34+049								57,0						
34+049	34+063							14,0							
34+063	34+091,5								28,5						
34+091,5	34+814							722,5							
34+814	34+888								74,0						
34+888	35+391							503,0							
35+391	35+546								155,0						
35+546	35+560							14,0							
35+560	35+719								159,0						
35+719	35+733							14,0							
35+733	36+002								269,0						
36+002	36+980							978,0							
36+980	37+106								126,0						
37+106	37+118							12,0							
37+118	37+218								100,0						

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
37+218	37+232							14,0							strona lewa
37+232	37+293,5								61,5						
37+293,5	37+305,5							12,0							
37+305,5	37+498								192,5						
37+498	37+555						57,0								
37+555	37+560								5,0						
skrzyżowanie 37+573,7							10,0		13,0				14,5		
									12,0						
37+587	37+764								177,0						
37+764	37+778							14,0							
37+778	38+085								307,0						
38+085	38+140							55,0							
38+140	38+276								136,0						
38+276	38+335						59,0								
38+335	38+633								298,0						
38+633	38+645							12,0							
38+645	38+806,5								161,5						
38+806,5	38+818,5							12,0							
38+818,5	38+874								55,5						
38+874	39+348							474,0							
39+348	39+493								145,0						
39+493	39+505							12,0							
39+505	39+764								259,0						
39+764	39+776							12,0							
39+776	40+068								292,0						
40+068	40+080							12,0							
40+080	40+167								87,0						
40+167	40+230						63,0								
40+230	40+698							468,0							
40+698	40+872								174,0						
40+872	40+992							120,0							
40+992	41+088								96,0						
41+088	41+104							16,0							
41+104	41+201								97,0						

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI	
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12			
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24			
Km		DŁUGOŚĆ LINII														
OD	DO															
41+201	41+294							93,0							strona lewa	
41+294	41+342								48,0							
41+342	41+425								83,0							
41+425	41+447						22,0		22,0							
41+447	41+493								46,0							
41+493	41+519						26,0		24,0							
41+519	41+606									87,0						
41+606	41+663								57,0							
22+647	22+660		13,0											grubowarstwowe		oś drogi
22+660	22+700											40,0				
22+700	22+770			70,0												
22+770	23+006					236,0										
23+006	23+075			69,0											oś drogi	
23+075	23+090		15,0													
23+090	23+106,5			16,5												
23+110,5	23+116,5			6,0												
23+116,5	23+121,5		5,0													
23+121,5	23+162,5			41,0												
23+162,5	23+168,5		6,0													
23+168,5	23+200			31,5												
23+200	23+205,5		5,5													
23+205,5	23+218,5			13,0												
23+218,5	23+318,5					100,0										
23+318,5	23+670	351,5														
23+670	23+770					100,0										
23+770	23+820			50,0												
23+820	23+823		3,0													
23+823	23+840			17,0												
23+840	23+845		5,0													
23+845	23+876												31,0			
23+876	23+884		8,0													
23+884	23+904												20,0			
23+904	23+909		5,0													
23+909	23+929												20,0			

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
23+929	23+947			18,0											
23+947	23+950		3,0												
23+950	23+971			21,0											
23+971	23+974		3,0												
23+974	23+996			22,0											
23+996	24+096					100,0									
24+096	25+577	1481,0													
25+577	25+677					100,0									
25+677	25+698			21,0											
25+698	25+703		5,0												
25+703	25+724			21,0											
25+724	25+729		5,0												
25+729	25+845			116,0											oś drogi
25+845	25+851		6,0												
25+851	25+948			97,0											
25+948	26+004,5												56,5		
26+004,5	26+009,5		5,0												
26+009,5	26+100			90,5											
26+100	26+105		5,0												
26+105	26+160			55,0											
26+160	26+165		5,0												
26+165	26+210			45,0											
26+210	26+310					100,0									
26+310	26+446	136,0													
26+446	26+546					100,0									
26+546	26+610			64,0											
26+610	26+613		3,0												
26+613	26+661,5			48,5											
26+661,5	26+664,5		3,0												
26+664,5	26+684			19,5											
26+684	26+687		3,0												
26+687	26+699			12,0											
26+699	26+702		3,0												
26+702	26+746			44,0											

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
26+746	26+828					82,0									
26+828	26+862			34,0											
26+862	26+867		5,0												
26+867	26+891			24,0											
26+891	26+894		3,0												
26+894	26+916			22,0											
26+916	26+924		8,0												
26+924	26+972			48,0											
26+972	26+977		5,0												
26+977	26+996			19,0											
26+996	27+096					100,0									
27+096	27+439	343,0													
27+439	27+539					100,0									oś drogi
27+539	27+585			46,0											
27+585	27+590		5,0												
27+590	27+605,5			15,5											
27+605,5	27+608,5		3,0												
27+608,5	27+634,5												26,0		
27+634,5	27+645		10,5												
27+645	27+675												30,0		
27+675	27+745			70,0											
27+745	27+845					100,0									
27+845	28+022	177,0													
28+022	28+122					100,0									
28+122	28+137			15,0											
28+137	28+140		3,0												
28+140	28+148			8,0											
28+148	28+151		3,0												
28+151	28+186			35,0											
28+186	28+192		6,0												
28+192	28+210			18,0											
28+210	28+223		13,0												
28+223	28+234			11,0											
28+238	28+257,5			19,5											

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
28+257,5	28+260,5		3,0												
28+260,5	28+312			51,5											
28+312	28+317		5,0												
28+317	28+347			30,0											
28+347	28+447					100,0									
28+447	30+915,5	2468,5													
30+915,5	31+015,5					100,0									
31+015,5	31+085,5			70,0											
31+085,5	31+115,5												30,0		
31+119,5	31+125												5,5		
31+125	31+135		10,0												
31+135	31+170												35,0		
31+170	31+195,5			25,5											oś drogi
31+195,5	31+198,5		3,0												
31+198,5	31+218			19,5											
31+218,0	31+221		3,0												
31+221,0	31+240			19,0											
31+240	31+340					100,0									
31+340	31+701	361,0													
31+701	31+801					100,0									
31+801	31+831			30,0											
31+831	31+836		5,0												
31+836	31+871			35,0											
31+871	31+901												30,0		
31+901	31+911		10,0												
31+911	31+941												30,0		
31+941	31+966			25,0											
31+966	31+971		5,0												
31+971	31+994			23,0											
31+994	32+104					110,0									
32+104	32+127			23,0											
32+127	32+132		5,0												
32+132	32+152			20,0											
32+152	32+155		3,0												

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
32+155	32+187			32,0											
32+187	32+192		5,0												
32+192	32+242			50,0											
32+242	32+247		5,0												
32+247	32+282			35,0											
32+282	32+285		3,0												
32+285	32+304			19,0											
32+304	32+307		3,0												
32+307	32+370												63,0		
32+370	32+373		3,0												
32+373	32+382												9,0		
32+382	32+385		3,0												
32+385	32+411,5												26,5		oś drogi
32+411,5	32+414,5		3,0												
32+414,5	32+419,5												5,0		
32+419,5	32+455			35,5											
32+455	32+461		6,0												
32+461	32+485			24,0											
32+485	32+490		5,0												
32+490	32+550			60,0											
32+550	32+553		3,0												
32+553	32+564			11,0											
32+564	32+567		3,0												
32+567	32+579			12,0											
32+579	32+584		5,0												
32+584	32+616,5			32,5											
32+616,5	32+619,5		3,0												
32+619,5	32+665			45,5											
32+665	32+765					100,0									
32+765	33+743	978,0													
33+743	33+843					100,0									
33+843	33+905			62,0											
33+905	33+925						8,0						20,0		
34+007	34+027						8,0						20,0		

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
34+027	34+053,5			26,5											
34+053,5	34+058,5		5,0												
34+058,5	34+092			33,5											
34+092	34+192					100,0									
34+192	35+291	1099,0													
35+291	35+391					100,0									
35+391	35+529			138,0											
35+529	35+534		5,0												
35+534	35+551			17,0											
35+551	35+556		5,0												
35+556	35+652			96,0											
35+652	35+727												75,0		
35+727	35+735		8,0												oś drogi
35+735	35+805												70,0		
35+805	35+976,5			171,5											
35+976,5	35+979,5		3,0												
35+979,5	36+002			22,5											
36+002	36+102					100,0									
36+102	36+880	778,0													
36+880	36+980					100,0									
36+980	37+110			130,0											
37+110	37+113		3,0												
37+113	37+156			43,0											
37+156	37+161		5,0												
37+161	37+222,5			61,5											
37+222,5	37+227,5		5,0												
37+227,5	37+250			22,5											
37+250	37+295												45,0		
37+295	37+304		9,0												
37+304	37+560												256,0		
37+564	37+570												6,0		
37+570	37+581		11,0												
37+581	37+725												144,0		
37+725	37+728		3,0												

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
37+728	37+767												39,0		
37+767	37+772		5,0												
37+772	37+815												43,0		
37+815	37+905			90,0											
37+905	37+910		5,0												
37+910	38+085			175,0											
38+085	38+140					55,0									
38+140	38+210			70,0											
38+210	38+240												30,0		
38+240	38+248		8,0												
38+248	38+525												277,0		
38+525	38+530		5,0												
38+530	38+604												74,0		oś drogi
38+604	38+638			34,0											
38+638	38+643		5,0												
38+643	38+811			168,0											
38+811	38+816		5,0												
38+816	38+874			58,0											
38+874	38+974					100,0									
38+974	39+461	487,0													
39+461	39+561					100,0									
39+561	39+644			83,0											
39+644	39+647		3,0												
39+647	39+769			122,0											
39+769	39+774		5,0												
39+774	39+832			58,0											
39+832	39+997,5												165,5		
39+997,5	40+002,5		5,0												
40+002,5	40+073			70,5											
40+073	40+076		3,0												
40+076	40+219			143,0											
40+219	40+319					100,0									
40+319	40+892	573,0													
40+892	40+992					100,0									

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
40+992	41+062			70,0											
41+062	41+092												30,0		
41+092	41+101		9,0												
41+101	41+131												30,0		
41+131	41+201			70,0											
41+201	41+318					117,0									
41+318	41+362												44,0		
41+362	41+368		6,0												
41+425	41+436,5									11,5					
41+436,5	41+444,5		8,0												
41+425	41+438,5									13,5					
41+438,5	41+449,5				11,0										
41+449,5	41+484,5										35,0				oś drogi
41+484,5	41+504,5											20,0			
41+461	41+493												32,0		
41+493	41+506		13,0												
41+506	41+518									12,0					
41+504,5	41+518									13,5					
41+576	41+628												52,0		
41+628	41+768					140,0									
22+700	22+817								117,0						strona prawa
22+817	22+863							46,0							
22+880	23+057								177,0						
23+073	23+106,5							33,5							
23+110,5	23+126							15,5							
23+126	23+197								71,0						
23+197	23+209							12,0							
23+209	23+219								10,0						
23+219	23+770							551,0							
23+770	23+814								44,0						
23+814	23+828							14,0							
23+828	23+835								7,0						
23+835	23+849							14,0							
23+849	23+900								51,0						

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
23+900	23+914							14,0							strona prawa
23+914	23+942								28,0						
23+942	23+954							12,0							
23+954	23+966								12,0						
23+966	23+978							12,0							
23+978	23+991								13,0						
23+991	24+597							606,0							
24+597	24+658						61,0								
24+658	25+069							411,0							
25+069	25+144								75,0						
25+144	25+621							477,0							
25+621	25+693								72,0						
25+693	25+709							16,0							
25+709	25+845								136,0						
25+845	25+859							14,0							
25+859	26+000								141,0						
26+000	26+014							14,0							
26+014	26+149								135,0						
26+149	26+210						61,0								
26+210	26+513							303,0							
26+513	26+605								92,0						
26+605	26+617							12,0							
26+617	26+656								39,0						
26+656	26+670							14,0							
26+670	26+695								25,0						
26+695	26+708							13,0							
26+708	26+813								105,0						
26+813	26+825							12,0							
26+825	26+855								30,0						
26+855	26+867							12,0							
26+867	26+887								20,0						
26+887	26+899							12,0							
26+899	26+918								19,0						
26+918	26+929							11,0							

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
26+929	26+969								40,0						strona prawa
26+969	26+980							11,0							
26+980	26+990								10,0						
26+990	27+467							477,0							
27+467	27+533								66,0						
27+533	27+544							11,0							
27+544	27+583								39,0						
27+583	27+595							12,0							
27+595	27+630								35,0						
27+630	27+645							15,0							
27+645	27+745								100,0						
27+745	28+122							377,0							
28+122	28+133								11,0						
28+133	28+144							11,0							
28+144	28+182								38,0						
28+182	28+194							12,0							
28+194	28+206								12,0						
28+206	28+238							32,0							
28+238	28+299						61,0								
28+299	28+347								48,0						
28+347	29+212							865,0							
29+212	29+287								75,0						
29+287	29+850							563,0							
29+850	29+924								74,0						
29+924	30+524							600,0							
30+524	30+611								87,0						
30+611	30+972							361,0							
30+972	31+115,5								143,5						
skrzyżowanie 31+130,1													7,0		
31+119,5	31+128,5						9,0		9,0						
									9,0						
31+137	31+203						66,0								
31+203	31+215								12,0						
31+215	31+226							11,0							

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
31+226	31+240								14,0						strona prawa
31+240	31+514,5							274,5							
31+514,5	31+589								74,5						
31+589,0	31+599							10,0							
31+599	31+657								58,0						
31+657	31+667							10,0							
31+667	31+801								134,0						
31+801	31+895								94,0						
skrzyżowanie 31+904,33							9,0		10,0				7,0		
									10,0						
31+913	31+961								48,0						
31+961	31+975							14,0							
31+975	31+994								19,0						
31+994	32+110							116,0							
32+110	32+143								33,0						
32+143	32+155							12,0							
32+155	32+241								86,0						
32+241	32+253							12,0							
32+253	32+277								24,0						
32+277	32+289							12,0							
32+289	32+300								11,0						
32+300	32+312							12,0							
32+312	32+364								52,0						
32+364	32+378							14,0							
32+378	32+406								28,0						
32+406	32+420							14,0							
32+420	32+448								28,0						
32+448	32+462							14,0							
32+462	32+545								83,0						
32+545	32+571							26,0							
32+571	32+611								40,0						
32+611	32+624							13,0							
32+624	32+661								37,0						
32+661	33+282							621,0							

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
33+282	33+355								73,0						strona prawa
33+355	33+843							488,0							
33+843	33+940								97,0						
skrzyżowanie 33+965,78							10,0		32,0						
0+027	0+068						8,0		41,0						
0+042	0+062												20,0		
0+027	0+068					50,0			41,0						
									22,0						
33+992	34+021								29,0						
34+021	34+082						61,0								
34+082	34+092								10,0						
34+092	34+806							714,0							
34+806	34+844								38,0						
34+844	35+389							545,0							
35+389	35+524								135,0						
35+524	35+538							14,0							
35+538	35+728,5								190,5						
35+728,5	35+742,5							14,0							
35+742,5	35+972								229,5						
35+972	35+984							12,0							
35+984	36+002								18,0						
36+002	36+980							978,0							
36+980	37+151,5								171,5						
37+151,5	37+166,5							15,0							
37+166,5	37+290								123,5						
skrzyżowanie 37+299,04							8,0		12,0				7,5		
									11,0						
37+310	37+560								250,0						
skrzyżowanie 37+572,62							11,0		10,0				13,0		
									11,0						
37+588	37+648						60,0								
37+648	37+720								72,0						
37+720	37+732							12,0							
37+732	37+903								171,0						

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
37+903	37+916							13,0							strona prawa
37+916	38+086								170,0						
38+086	38+140							54,0							
38+140	38+210								70,0						
38+210	38+234									24,0					
skrzyżowanie 38+248,16							9,0			11,0			9,5		
										13,5					
38+253	38+335									82,0					
38+335	38+520								185,0						
38+520	38+535							15,0							
38+535	38+633,5								98,5						
38+633,5	38+645,5							12,0							
38+645,5	38+684								38,5						
38+684	38+745						61,0								
38+745	38+807,5								62,5						
38+807,5	38+819,5							12,0							
38+819,5	38+874								54,5						
38+874	39+281							407,0							
39+281	39+335								54,0						
39+335	39+345							10,0							
39+345	39+520								175,0						
39+520	39+530							10,0							
39+530	39+639								109,0						
39+639	39+651							12,0							
39+651	39+769								118,0						
39+769	39+781							12,0							
39+781	39+993								212,0						
39+993	40+007							14,0							
40+007	40+219								212,0						
40+219	40+258							39,0							
40+258	40+320						62,0								
40+320	40+638							318,0							
40+638	40+704								66,0						
40+704	40+715							11,0							

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
40+715	40+872								157,0						strona prawa
40+872	40+992							120,0							
40+992	41+085								93,0						
skrzyżowanie 41+096,45							9,0		12,0						
									10,0				7,0		
41+105	41+201								96,0						
41+201	41+318							117,0							
41+318	41+342								24,0						
41+342	41+357								15,0						
41+357	41+373							16,0							
41+373	41+628								255,0						
41+628	41+768							140,0							
Ogółem długość (m)		9 233	431	4 157	11	3 240	1 204	22 525	14 394	268	35	20	2 062	57 580	
powierzchnia (m2)		369	52	831	2	259	144	1 352	1 727	64	4	5	495	5 304	