

**Odcinek drogi Nr 673**  
**"wyrównanie podbudowy kruszywem"**  
**w km 7+975-10+655**

Kilometr	Hektometr	Powierzchnia	Średnia powierzchnia		Odległość	Objętość	
		wyrównaia podbudowy kruszywem m <sup>2</sup>		wyrównaia podbudowy kruszywem m <sup>2</sup>			wyrównaia podbudowy kruszywem m <sup>3</sup>
7	950,00	0,000					
7	975,00	0,000			25,00		
8	0,00	0,860			25,00		
				0,935	25,00		23,38
	25,00	1,010		0,930	25,00		23,25
	50,00	0,850		0,745	25,00		18,63
	75,00	0,640		0,605	25,00		15,13
	100,00	0,570		0,705	25,00		17,63
	125,00	0,840		0,935	25,00		23,38
	150,00	1,030		1,115	25,00		27,88
	175,00	1,200		1,230	24,50		30,14
	199,50	1,260		1,070	25,50		27,29
	225,00	0,880		0,440	25,00		11,00
	250,00	0,000		0,465	25,00		11,63
	275,00	0,930		1,240	25,00		31,00
	300,00	1,550		1,295	25,00		32,38
	325,00	1,040		1,005	25,00		25,13
	350,00	0,970		0,820	25,00		20,50
	375,00	0,670		0,700	25,00		17,50
	400,00	0,730		0,655	25,00		16,38
	425,00	0,580		0,780	25,00		19,50
	450,00	0,980		0,915	25,00		22,88
	475,00	0,850		0,425	25,00		10,63
	500,00	0,000			25,00		
	525,00	0,000			25,00		
	550,00	0,000			25,00		
	575,00	0,000			25,00		
	600,00	0,000			25,00		
	625,00	0,000			25,00		
				0 305	25 00		0 88

**Odcinek drogi Nr 673**  
**"wyrównanie podbudowy kruszywem"**  
**w km 7+975-10+655**

Kilometr	Hektometr	Powierzchnia	Średnia powierzchnia		Odległość	Objętość	
		wyrównaia podbudowy kruszywem m <sup>2</sup>		wyrównaia podbudowy kruszywem m <sup>2</sup>			wyrównaia podbudowy kruszywem m <sup>3</sup>
	650,00	0,790		0,335	23,00		3,88
	675,00	1,280		1,035	25,00		25,88
	700,00	1,670		1,475	25,00		36,88
	704,20	1,720		1,695	4,20		7,12
	724,60	1,940		1,830	20,40		37,33
	725,00	1,950		1,945	0,40		0,78
	739,00	1,620		1,785	14,00		24,99
	750,00	1,310		1,465	11,00		16,12
	767,70	0,740		1,025	17,70		18,14
	775,00	0,530		0,635	7,30		4,64
	788,50	0,000		0,265	13,50		3,58
	800,00	0,000			11,50		
	815,00	0,000			15,00		
	825,00	0,000			10,00		
	845,30	0,000			20,30		
	850,00	0,000			4,70		
	874,00	0,000			24,00		
	875,00	0,000			1,00		
	888,40	0,000			13,40		
	900,00	0,000			11,60		
	908,80	0,000			8,80		
	925,00	0,510		0,255	16,20		4,13
	950,00	0,920		0,715	25,00		17,88
	975,00	1,340		1,130	25,00		28,25
	975,00	1,340		1,340			
				1,405	25,00		35,13
9	0,00	1,470		1,215	25,00		30,38
	25,00	0,960		0,915	25,00		22,88
	50,00	0,870					

**Odcinek drogi Nr 673**  
**"wyrównanie podbudowy kruszywem"**  
**w km 7+975-10+655**

Kilometr	Hektometr	Powierzchnia	Średnia powierzchnia		Odległość	Objętość	
		wyrównaia podbudowy kruszywem		wyrównaia podbudowy kruszywem			wyrównaia podbudowy kruszywem
		m <sup>2</sup>		m <sup>2</sup>			m <sup>3</sup>
	50,00	0,870		0,920	25,00		23,00
	75,00	0,970		1,075	25,00		26,88
	100,00	1,180		1,175	0,90		1,06
	100,90	1,170		1,135	24,10		27,35
	125,00	1,100		0,945	25,00		23,63
	150,00	0,790		0,825	25,00		20,63
	175,00	0,860		0,830	25,00		20,75
	200,00	0,800		0,710	25,00		17,75
	225,00	0,620		0,310	25,00		7,75
	250,00	0,000			25,00		
	275,00	0,000			25,00		
	300,00	0,000			22,00		
	278,00	0,000			72,00		
	350,00	0,000			25,00		
	375,00	0,000		0,410	25,00		10,25
	400,00	0,820		0,890	25,00		22,25
	425,00	0,960		0,915	2,50		2,29
	427,50	0,870		0,910	22,50		20,48
	450,00	0,950		0,935	25,00		23,38
	475,00	0,920		1,390	25,00		34,75
	500,00	1,860		1,295	25,00		32,38
	525,00	0,730		0,775	25,00		19,38
	550,00	0,820		0,690	25,00		17,25
	575,00	0,560		0,630	25,00		15,75
	600,00	0,700		0,350	25,00		8,75
	625,00	0,000			25,00		
	650,00	0,000		0,680	25,00		17,00
	675,00	1,360					

**Odcinek drogi Nr 673**  
**"wyrównanie podbudowy kruszywem"**  
**w km 7+975-10+655**

Kilometr	Hektometr	Powierzchnia	Średnia powierzchnia		Odległość	Objętość	
		wyrównaia podbudowy kruszywem		wyrównaia podbudowy kruszywem			wyrównaia podbudowy kruszywem
		m <sup>2</sup>		m <sup>2</sup>			m <sup>3</sup>
10	675,00	1,300		1,295	25,00		32,38
	700,00	1,230		0,960	25,00		24,00
	725,00	0,690		0,915	25,00		22,88
	750,00	1,140		1,325	25,00		33,13
	775,00	1,510		1,395	25,00		34,88
	800,00	1,280		1,075	25,00		26,88
	825,00	0,870		0,915	25,00		22,88
	850,00	0,960		1,440	25,00		36,00
	875,00	1,920		0,960	25,00		24,00
	900,00	0,000			25,00		
	925,00	0,000			25,00		
	950,00	0,000			25,00		
	975,00	0,000			25,00		
	0,00	0,000			25,00		
	25,00	0,000			25,00		
	50,00	0,000			25,00		
	75,00	0,000			25,00		
	100,00	0,000			25,00		
	125,00	0,000			4,40		
	129,40	0,000			20,60		
	150,00	0,000			8,10		
	158,10	0,000			14,40		
	172,50	0,000			2,50		
	175,00	0,000			17,90		
	192,90	0,000			7,10		
	200,00	0,000			25,00		
	225,00	0,000			8,00		
	233,00	0,000					

**Odcinek drogi Nr 673**  
**"wyrównanie podbudowy kruszywem"**  
**w km 7+975-10+655**

Kilometr	Hektometr	Powierzchnia	Średnia powierzchnia		Odległość	Objętość	
		wyrównaia podbudowy kruszywem		wyrównaia podbudowy kruszywem			wyrównaia podbudowy kruszywem
		m <sup>2</sup>		m <sup>2</sup>			m <sup>3</sup>
	233,00	0,000			17,00		
	250,00	0,000			3,70		
	253,70	0,000			16,00		
	269,70	0,000			5,30		
	275,00	0,000			21,50		
	296,50	0,000			3,50		
	300,00	0,000			23,50		
	323,50	0,000			1,50		
	325,00	0,000			25,00		
	350,00	0,000			25,00		
	375,00	0,000			25,00		
	400,00	0,000			27,50		
	427,50	0,000			22,50		
	450,00	0,000			25,00		
	475,00	0,000			25,00		
	500,00	0,000			25,00		
	525,00	0,000			25,00		
	550,00	0,000		0,445	25,00		11,13
	575,00	0,890		0,750	25,00		18,75
	600,00	0,610		0,305	25,00		7,63
	625,00	0,000			25,00		
	650,00	0,000			5,30		
	655,30	0,000			3027,30		<b>1437,00</b>