

# WYKAZ OZNAKOWANIA POZIOMEGO

## DW-690 Ciechanowiec - Siemiatycze

LINIE SEGREGACYJNE I KRAWĘDZIOWE (elementy liniowe)

wykaz nr 10.2.1

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
DROGA WOJEWÓDZKA 690														grubowarstwowe	strona lewa
41+606	41+663								57,0						
41+663	41+768							105,0							
41+768	41+828						60,0								
41+828	41+857								29,0						
skrzyżowanie 41+884,47							8,0		17,0						
0+027	0+069								42,0						
0+042	0+060												18,0		
0+060	0+110					50,0									
0+027	0+054								27,0						
0+054	0+069							15,0							
							11,0		36,0						
41+911	42+035								124,0						
42+035	42+770							735,0							
42+770	42+878								108,0						
42+878	42+890							12,0							
42+890	42+962								72,0						
42+962	43+056							94,0							
43+056	43+070								14,0						
43+070	43+130						60,0								
43+130	43+143								13,0						
skrzyżowanie 43+149,29							8,0		10,0				14,0		
									10,0						
43+160	43+334								174,0						
43+334	43+346							12,0							
43+346	43+364								18,0						
43+364	43+376							12,0							

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
43+376	43+576								200,0						strona lewa
43+576	43+587							11,0							
43+587	43+816								229,0						
skrzyżowanie 43+822,59							11,0		18,0				9,0		
									11,0						
43+842	43+942								100,0						
43+942	44+053							111,0							
44+053	44+191								138,0						
44+191	44+204							13,0							
44+204	44+240								36,0						
44+240	44+301						61,0								
44+301	44+315								14,0						
skrzyżowanie 44+322,2							9,0		13,0				9,5		
									13,0						
44+332	44+429								97,0						
44+429	44+751							322,0							
44+751	44+826								75,0						
44+826	44+838							12,0							
44+838	44+935								97,0						
44+935	44+946							11,0							
44+946	45+029,5								83,5						
45+029,5	45+042,5						13,0								
45+042,5	45+083								40,5						
skrzyżowanie 45+092,07							8,0			11,0			8,0		
										11,0					
45+100	45+197								97,0						
45+197	45+478							281,0							
45+478	45+634								156,0						
45+634	45+644							10,0							
45+644	45+699								55,0						
45+699	45+709							10,0							
45+709	45+840								131,0						
45+840	45+959							119,0							
45+959	46+230								271,0						

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
46+230	46+242							12,0							strona lewa
46+242	46+320								78,0						
46+320	46+332							12,0							
46+333	46+406								73,0						
46+406	46+515							109,0							
46+515	46+577								62,0						
46+577	46+591							14,0							
46+591	46+653						62,0								
46+653	46+740								87,0						
46+740	46+754							14,0							
46+754	46+841								87,0						
46+841	46+853						12,0								
46+853	46+884								31,0						
46+884	46+904						20,0								
46+904	46+936								32,0						
46+936	46+967								31,0						
46+967	46+979							12,0							
46+979	47+088								109,0						
47+088	47+100							12,0							
47+100	47+151								51,0						
47+151	47+163							12,0							
47+163	47+376								213,0						
47+376	47+388							12,0							
47+388	47+571								183,0						
47+571	47+995							424,0							
47+995	48+070								75,0						
48+070	48+307							237,0							
48+307	48+385								78,0						
48+385	48+398							13,0							
48+398	48+502								104,0						
48+502	48+739							237,0							
48+739	48+800						61,0								
48+800	48+817							17,0							
48+817	48+981								164,0						

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
48+981	48+991							10,0							
48+991	49+066								75,0						strona lewa
49+066	49+207							141,0							
49+207	49+239								32,0						
49+239	49+252							13,0							
49+252	49+285								33,0						
49+285	49+297							12,0							
49+297	49+335								38,0						
49+335	49+347							12,0							
49+347	49+428								81,0						
49+428	49+442							14,0							
49+442	49+594								152,0						
49+594	49+608							14,0							
49+608	49+669								61,0						
49+669	49+681							12,0							
49+681	49+695								14,0						
49+695	49+891							196,0							
49+891	49+978								87,0						
skrzyżowanie 49+999,43							9,0		23,0						
0+026	0+061								35,0						
0+041	0+061					30,0							20,0		
0+026	0+058								32,0						
							9,0		24,0						
50+022	50+228								206,0						
50+228	50+289						61,0								
50+289	50+314								25,0						
50+318	50+357								39,0						
50+357	50+370							13,0							
50+370	50+377								7,0						
50+377	50+387							10,0							
50+387	50+419								32,0						
50+419	50+639							220,0							
50+639	50+745								106,0						
50+745	50+766							21,0							

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
50+766	50+857								91,0						strona lewa
50+857	51+484							627,0							
51+484	51+551								67,0						
51+551	51+561							10,0							
51+561	51+588								27,0						
51+588	51+598							10,0							
51+598	51+672								74,0						
51+672	51+683							11,0							
51+683	51+718								35,0						
51+718	51+728							10,0							
51+728	51+804								76,0						
51+804	52+196							392,0							
52+196	52+211								15,0						
52+211	52+273						62,0								
52+273	52+394								121,0						
52+394	52+952							558,0							
52+952	53+026								74,0						
53+026	53+038							12,0							
53+038	53+167								129,0						
skrzyżowanie 53+180,21									13,0				15,0		
							9,0		11,0						
53+187	53+200								13,0						
53+200	53+212							12,0							
53+212	53+303								91,0						
53+303	53+885							582,0							
53+885	53+946						61,0								
53+946	54+544							598,0							
54+544	54+635								91,0						
skrzyżowanie 54+649,33							9,5		11,0				13,5		
									11,0						
54+657	54+754								97,0						
54+754	55+015							261,0							
55+015	55+085								70,0						
55+085	55+110									25,0					

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
skrzyżowanie 55+121,4							10,0			12,0			16,0		strona lewa
										12,0					
55+130	55+156								466,0	26,0					
55+156	55+622														
55+622	55+785							163,0							
55+785	55+880								95,0						
55+880	56+374							494,0							
56+374	56+393								19,0						
56+393	56+406							13,0							
56+406	56+422								16,0						
56+422	56+435							13,0							
56+435	56+495						60,0								
56+495	56+545								50,0						
56+545	56+557							12,0							
56+557	56+632								75,0						
56+632	56+645							13,0							
56+645	56+679								34,0						
56+679	56+691							12,0							strona lewa
56+691	56+782								91,0						
56+782	56+796							14,0							
56+796	56+863								67,0						
56+863	57+451							588,0							
57+451	57+501								50,0						
57+501	57+516							15,0							
57+516	57+551								35,0						
57+551	57+579						28,0								
57+579	57+613								34,0						
57+613	57+639						26,0								
57+639	57+679								40,0						
57+679	57+691							12,0							
57+691	57+755								64,0						
41+628	41+768					140,0								grubowarstwowe	oś drogi
41+768	41+823			55,0											
41+823	41+843						8,0						20,0		

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
41+926	41+937						8,0						11,0		
41+937	41+940		3,0												
41+940	41+946												6,0		
41+946	41+996			50,0											
41+996	42+096					100,0									
42+096	42+956	860,0													
42+956	43+056					100,0									
43+056	43+116			60,0											
43+116	43+146												30,0		
43+146	43+156		10,0												
43+156	43+338												182,0		
43+338	43+341			3,0											
43+341	43+368			27,0											
43+368	43+371		3,0												
43+371	43+379			8,0											
43+379	43+382		3,0												
43+382	43+518			136,0											
43+518	43+723					205,0									
43+723	43+793			70,0											
43+793	43+823												30,0		
43+823	43+838		15,0												
43+838	43+868												30,0		
43+868	43+921			53,0											
43+921	43+924		3,0												
43+924	43+942			18,0											oś drogi
43+942	44+219					277,0									
44+219	44+289			70,0											
44+289	44+319												30,0		
44+319	44+329		10,0												
44+329	44+359												30,0		
44+359	44+429			70,0											
44+429	44+529					100,0									
44+529	44+887	358,0													
44+887	44+987					100,0									

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
44+987	45+033,5			46,5											
45+033,5	45+038,5		5,0												
45+038,5	45+057			18,5											
45+057	45+087												30,0		
45+087	45+097		10,0												
45+097	45+127												30,0		
45+127	45+165			38,0											
45+165	45+170		5,0												
45+170	45+197			27,0											
45+197	45+297					100,0									
45+297	45+840	543,0													
45+840	45+940					100,0									
45+940	45+951			11,0											
45+951	45+954		3,0												
45+954	46+030			76,0											
46+030	46+210					180,0									
46+210	46+290			80,0											
46+290	46+515					225,0									
46+515	46+580			65,0											
46+580	46+585		5,0												
46+585	46+746			161,0											
46+746	46+751		5,0												
46+751	46+845												94,0		
46+845	46+848		3,0												
46+848	46+883												35,0		oś drogi
46+883	46+895		12,0												
46+895	46+936												41,0		
46+936	46+971			35,0											
46+971	46+974		3,0												
46+974	47+028			54,0											
47+028	47+033		5,0												
47+033	47+092			59,0											
47+092	47+095		3,0												
47+095	47+155			60,0											



Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
47+155	47+158		3,0												
47+158	47+200			42,0											
47+200	47+220												20,0		
47+220	47+320			100,0											
47+320	47+508					188,0									
47+508	47+578			70,0											
47+578	47+678					100,0									
47+678	49+107	1429,0													
49+107	49+207					100,0									
49+207	49+245			38,0											
49+245	49+254		9,0												
49+254	49+289			35,0											
49+289	49+292		3,0												
49+292	49+339			47,0											
49+339	49+344		5,0												
49+344	49+396			52,0											
49+396	49+401		5,0												
49+401	49+425			24,0											
49+425	49+477					52,0									
49+477	49+534,5			57,5											
49+534,5	49+537,5		3,0												
49+537,5	49+599			61,5											
49+599	49+604		5,0												
49+604	49+674			70,0											
49+674	49+677		3,0												oś drogi
49+677	49+695			18,0											
49+695	49+883					188,0									
49+883	49+933			50,0											
49+933	49+958						8,0						25,0		
50+041	50+066						8,0						25,0		
50+066	50+116			50,0											
50+116	50+217					101,0									
50+217	50+267			50,0											
50+267	50+297												30,0		

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
50+297	50+307		10,0												
50+307	50+314												7,0		
50+318	50+348												30,0		
50+348	50+362			14,0											
50+362	50+365		3,0												
50+365	50+380			15,0											
50+380	50+383		3,0												
50+383	50+419			36,0											
50+419	50+639					220,0									
50+639	50+709			70,0											
50+709	50+739												30,0		
50+739	50+757		18,0												
50+757	50+787												30,0		
50+787	50+817			30,0											
50+817	50+820		3,0												
50+820	50+857			37,0											
50+857	50+957					100,0									
50+957	52+974	2017,0													
52+974	53+074					100,0									
53+074	53+144			70,0											
53+144	53+174												30,0		
53+174	53+187		13,0												
53+187	53+204												17,0		
53+204	53+207		3,0												
53+207	53+222												15,0		oś drogi
53+222	53+292			70,0											
53+292	53+392					100,0									
53+392	54+444	1052,0													
54+444	54+544					100,0									
54+544	54+614			70,0											
54+614	54+644												30,0		
54+644	54+654		10,0												
54+654	54+684												30,0		
54+684	54+754			70,0											

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
54+754	55+015					261,0									
55+015	55+085			70,0											
55+085	55+115												30,0		
55+115	55+126		11,0												
55+126	55+156												30,0		
55+156	55+192			36,0											
55+192	55+197		5,0												
55+197	55+226			29,0											
55+226	55+326					100,0									
55+326	56+273	947,0													
56+273	56+373					100,0									
56+373	56+397,5			24,5											
56+397,5	56+402,5		5,0												
56+402,5	56+427			24,5											
56+427	56+430		3,0												
56+430	56+447			17,0											
56+447	56+450		3,0												
56+450	56+489			39,0											
56+489	56+492		3,0												
56+492	56+549			57,0											
56+549	56+554		5,0												
56+554	56+612			58,0											
56+612	56+637												25,0		
56+637	56+642		5,0												
56+642	56+684												42,0		oś drogi
56+684	56+687		3,0												
56+687	56+705			18,0											
56+705	56+708		3,0												
56+708	56+787			79,0											
56+787	56+790		3,0												
56+790	56+799			9,0											
56+799	56+802		3,0												
56+802	56+863			61,0											
56+863	56+963					100,0									

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
56+963	57+425	462,0													
57+425	57+525					100,0									
57+525	57+557			32,0											
57+557	57+577		20,0												
57+577	57+617			40,0											
57+617	57+637		20,0												
57+637	57+672			35,0											
57+672	57+677		5,0												
57+677	57+742			65,0											
57+742	57+805												63,0		
41+628	41+768							140,0							strona prawa
41+768	41+853								85,0						
skrzyżowanie 41+884,47							8,0		35,0						
							8,0		21,0						
0+026,5	0+061								34,5						
0+041	0+061						30,0						20,0		
0+026,5	0+061								34,5						
41+911	41+934								23,0						
41+934	41+999						65,0								
41+999	42+035								36,0						
42+035	42+786							751,0							
42+786	42+907								121,0						
42+907	42+919							12,0							
42+919	43+044								125,0						
43+044	43+056							12,0							
43+056	43+143								87,0						
43+143	43+156							13,0							
43+156	43+221						65,0								
43+221	43+374								153,0						
43+374	43+386							12,0							
43+386	43+524								138,0						
43+524	43+535							11,0							
43+535	43+817								282,0						
43+817	43+833							16,0							

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
43+833	43+917								84,0						strona prawa
43+917	44+061							144,0							
44+061	44+191								130,0						
44+191	44+204							13,0							
44+204	44+313								109,0						
44+313	44+330							17,0							
44+330	44+391						61,0								
44+391	44+429								38,0						
44+429	44+672							243,0							
44+672	44+746								74,0						
44+746	44+756							10,0							
44+756	44+987								231,0						
44+987	45+082								95,0						
skrzyżowanie 45+092,07							8,0			12,0			8,0		
										12,0					
45+101	45+161								60,0						
45+161	45+173							12,0							
45+173	45+197								24,0						
45+197	45+412							215,0							
45+412	45+486								74,0						
45+486	45+496							10,0							
45+496	45+698								202,0						
45+698	45+710							12,0							
45+710	45+866								156,0						
45+866	45+878							12,0							
45+878	45+940								62,0						
45+940	46+237								297,0						
46+237	46+249							12,0							
46+249	46+391								142,0						
46+391	46+515							124,0							
46+515	46+786								271,0						
46+786	46+875								89,0						
skrzyżowanie 46+890,43							11,0			10,0			8,5		strona prawa
										15,0					

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
46+900	46+936								36,0						
46+936	47+023								87,0						
47+023	47+037							14,0							
47+037	47+068								31,0						
47+068	47+129						61,0								
47+129	47+394								265,0						
47+394	47+407							13,0							
47+407	47+495								88,0						
47+495	47+508							13,0							
47+508	47+578								70,0						
47+578	47+944							366,0							
47+944	48+008								64,0						
48+008	48+018							10,0							
48+018	48+075								57,0						
48+075	48+332							257,0							
48+332	48+406								74,0						
48+406	48+418							12,0							
48+418	48+519								101,0						
48+519	48+787							268,0							
48+787	48+830								43,0						
48+830	48+890						60,0								
48+890	49+207							317,0							
49+207	49+248								41,0						
49+248	49+260							12,0							
49+260	49+335								75,0						
49+335	49+347							12,0							
49+347	49+394								47,0						
49+394	49+408							14,0							
49+408	49+434,5								26,5						
49+434,5	49+446,5							12,0							
49+446,5	49+529								82,5						
49+529	49+543							14,0							
49+543	49+695								152,0						
49+695	49+883							188,0							strona prawa

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
49+883	49+980								97,0						
skrzyżowanie 49+999,43						50,0	8,0		11,0						
							8,0		11,0						
0+017	0+061								44,0						
0+017	0+061								44,0						
0+041	0+061												20,0		
50+017	50+173								156,0						
50+173	50+185							12,0							
50+185	50+217								32,0						
50+217	50+291								74,0						
skrzyżowanie 50+300							11,0			14,0			8,0		
										14,0					
50+318	50+380						62,0								
50+380	50+419								39,0						
50+419	50+639							220,0							
50+639	50+679								40,0						
50+679	50+730								51,0						
skrzyżowanie 50+749,64							12,0			12,0			8,0		
										17,0					
50+757	50+813								56,0						
50+813	50+825							12,0							
50+825	50+857								32,0						
50+857	51+448							591,0							
51+448	51+588								140,0						
51+588	51+598							10,0							
51+598	51+882								284,0						
51+882	52+074							192,0							
52+074	52+145								71,0						
52+145	52+155							10,0							
52+155	52+293								138,0						
52+293	52+311							18,0							
52+311	52+372						61,0								
52+372	52+432								60,0						
52+432	53+074							642,0							strona prawa

Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
53+074	53+144								70,0						
53+144	53+177								33,0						
53+177	53+198							21,0							
53+198	53+222								24,0						
53+222	53+292								70,0						
53+292	53+975							683,0							
53+975	54+036						61,0								
54+036	54+544							508,0							
54+544	54+592								48,0						
54+592	54+644								52,0						
54+644	54+656							12,0							
54+656	54+684								28,0						
54+684	54+753								69,0						
54+753	55+015							262,0							
55+015	55+085								70,0						
55+085	55+110									25,0					
skrzyżowanie 55+120,17							9,0			11,0			10,5		
										11,0					
55+131	55+156									25,0					
55+156	55+187								31,0						
55+187	55+201							14,0							
55+201	55+245								44,0						
55+245	55+256							11,0							
55+256	55+285								29,0						
55+285	55+297							12,0							
55+297	55+409								112,0						
55+409	55+446							37,0							
55+446	55+520								74,0						
55+520	55+774							254,0							
55+774	55+854								80,0						
55+854	56+381							527,0							
56+381	56+442								61,0						
56+442	56+454							12,0							
56+454	56+543								89,0						strona prawa



Symbol linii		P-1a	P-1e	P-3a	P-3b	P-6	P-7a	P-7c	P-7d	P7b	P-1c	P-2b	P-4	RODZAJ OZNAKOWANIA-	UWAGI
Grubość linii [cm]		12	24	12	12	12	24	12	12	24	12	24	12		
Powierz.m2/mb		0,04	0,12	0,20	0,18	0,08	0,12	0,06	0,12	0,24	0,12	0,24	0,24		
Km		DŁUGOŚĆ LINII													
OD	DO														
56+543	56+559							16,0							
56+559	56+700								141,0						
56+700	56+712							12,0							
56+712	56+732								20,0						
56+732	56+793						61,0								
56+793	56+806							13,0							
56+806	56+857								51,0						
56+857	57+451							594,0							
57+451	57+516								65,0						
57+516	57+531							15,0							
57+531	57+564								33,0						
57+564	57+578							14,0							
57+578	57+667								89,0						
57+667	57+681							14,0							
57+681	57+731								50,0						
Ogółem długość (m)		7 668	302	3 292	0	3 767	1 451	16 193	14 905	275	0	0	1 314	49 167	
powierzchnia (m2)		307	36	658	0	301	174	972	1 789	66	0	0	315	4 618	