

WYKAZ PRZEPUSTÓW

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
1	45+824	L	10,5	4	538, obr. Wierzchowskie, gm. Hajnówka	52° 43' 16,110"	23° 34' 25,184"	0,5
2	45+929	L	10	4	538, obr. Wierzchowskie, gm. Hajnówka	52° 43' 13,430"	23° 34' 21,870"	0,5
3	46+356	L	7	4	546/2, obr. Wierzchowskie, gm. Hajnówka	52° 43' 2,988"	23° 34' 7,023"	0,5
4	46+874	L	9	4	543, obr. Wierzchowskie, gm. Hajnówka	52° 42' 52,400"	23° 33' 45,853"	0,5
5	47+041	L	11,5	4	543, 544, obr. Wierzchowskie, gm. Hajnówka	52° 42' 49,621"	23° 33' 38,301"	0,5
6	47+246	L	11	4	543, obr. Wierzchowskie, gm. Hajnówka	52° 42' 46,219"	23° 33' 28,879"	0,5
7	47+630	L	10	4	39, obr. m. Hajnówka, gm. Hajnówka	52° 42' 39,833"	23° 33' 11,277"	0,5
8	47+733	L	17,5	4	40, 41, obr. m. Hajnówka, gm. Hajnówka	52° 42' 37,911"	23° 33' 6,595"	0,5
9	47+957	L	10	4	111, 39, obr. m. Hajnówka, gm. Hajnówka	52° 42' 34,394"	23° 32' 56,369"	0,5
10	48+009	L	10	4	111, obr. m. Hajnówka, gm. Hajnówka	52° 42' 33,525"	23° 32' 53,968"	0,5
11	48+036	L	10	4	111, obr. m. Hajnówka, gm. Hajnówka	52° 42' 33,083"	23° 32' 52,745"	0,5
12	48+051	L	10	4	111, obr. m. Hajnówka, gm. Hajnówka	52° 42' 32,842"	23° 32' 52,080"	0,5
13	48+139	L	10	4	111, obr. m. Hajnówka, gm. Hajnówka	52° 42' 31,375"	23° 32' 48,061"	0,5
14	48+219	L	10	4	111, obr. m. Hajnówka, gm. Hajnówka	52° 42' 30,030"	23° 32' 44,394"	0,5
15	48+323	L	13,5	4	111, obr. m. Hajnówka, gm. Hajnówka	52° 42' 28,293"	23° 32' 39,643"	0,5
16	48+385	L	17	4	111, obr. m. Hajnówka, gm. Hajnówka	52° 42' 27,275"	23° 32' 36,825"	0,5
17	48+590	L	11	4	111, obr. m. Hajnówka, gm. Hajnówka	52° 42' 23,871"	23° 32' 27,421"	0,5
18	48+635	L	10,5	4	111, obr. m. Hajnówka, gm. Hajnówka	52° 42' 23,121"	23° 32' 25,362"	0,5
19	48+682	L	10,5	4	111, obr. m. Hajnówka, gm. Hajnówka	52° 42' 22,340"	23° 32' 23,220"	0,5
20	48+713	L	10	4	111, obr. m. Hajnówka, gm. Hajnówka	52° 42' 21,820"	23° 32' 21,793"	0,5

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
21	48+746	L	10	4	111, obr. m. Hajnówka, gm. Hajnówka	52° 42' 21,272"	23° 32' 20,291"	0,5
22	48+786	L	10	4	111, obr. m. Hajnówka, gm. Hajnówka	52° 42' 20,496"	23° 32' 18,612"	0,5
23	48+835	L	18	4	111, obr. m. Hajnówka, gm. Hajnówka	52° 42' 19,768"	23° 32' 16,206"	0,5
24	48+930	L	11,5	4	111, obr. m. Hajnówka, gm. Hajnówka	52° 42' 18,220"	23° 32' 11,894"	0,5
25					111, obr. m. Hajnówka, gm. Hajnówka;	52° 42' 17,572"	23° 32' 10,112"	0,5
	48+969	L	10,5	4	30, obr. Pasieczniki Duże, Gm. Hajnówka			
26					30, obr. Pasieczniki Duże, Gm. Hajnówka	52° 42' 14,279"	23° 32' 1,061"	0,5
	49+167	L	10,5	4				
27					30, obr. Pasieczniki Duże, Gm. Hajnówka	52° 42' 13,111"	23° 31' 57,868"	0,5
	49+237	L	11,5	4				
28					30, obr. Pasieczniki Duże, Gm. Hajnówka	52° 42' 6,801"	23° 31' 40,624"	0,5
	49+615	L	10,5	4				
29					30, obr. Pasieczniki Duże, Gm. Hajnówka	52° 42' 3,261"	23° 31' 30,627"	0,5
	49+832	L	10,5	4				
30					30, obr. Pasieczniki Duże, Gm. Hajnówka	52° 41' 59,102"	23° 31' 19,245"	0,5
	50+080	L	23,5	4				
31					30, obr. Pasieczniki Duże, Gm. Hajnówka	52° 41' 56,770"	23° 31' 12,711"	0,5
	50+224	L	11	4				
32					30, obr. Pasieczniki Duże, Gm. Hajnówka	52° 41' 54,965"	23° 31' 7,724"	0,5
	50+333	L	11,5	4				
33					30, obr. Pasieczniki Duże, Gm. Hajnówka	52° 41' 50,933"	23° 30' 56,589"	0,5
	50+576	L	10,5	4				
34					30, obr. Pasieczniki Duże, Gm. Hajnówka	52° 41' 47,798"	23° 30' 47,964"	0,5
	50+765	L	10,5	4				
35					30, obr. Pasieczniki Duże, Gm. Hajnówka	52° 41' 46,721"	23° 30' 44,978"	0,5
	50+830	L	10,5	4				
36					30, obr. Pasieczniki Duże, Gm. Hajnówka	52° 41' 46,721"	23° 30' 44,978"	0,5
	50+874	L	10,5	4				
37	51+034	L	11,5	4	30, 155/1, obr. Pasieczniki Duże, Gm. Hajnówka	52° 41' 43,316"	23° 30' 35,763"	0,5

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
38	51+322	L	10,5	4	30, obr. Pasieczniki Duże, Gm. Hajnówka	52° 41' 35,953"	23° 30' 26,789"	0,5
39	51+348	L	11	4	30, obr. Pasieczniki Duże, Gm. Hajnówka, 112 obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 41' 35,233"	23° 30' 26,099"	0,5
40	51+369	L	11	4	112 obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 41' 34,652"	23° 30' 25,548"	0,5
41	51+666	L	11	4	112 obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 41' 26,339"	23° 30' 17,650"	0,5
42	51+715	L	8,5	4	112 obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 41' 24,981"	23° 30' 16,355"	0,5
43	51+749	L	9,5	4	112 obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 41' 23,994"	23° 30' 15,456"	0,5
44	51+872	L	10,5	4	112 obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 41' 20,553"	23° 30' 12,153"	0,5
45	51+924	L	11	4	112 obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 41' 19,123"	23° 30' 10,781"	0,5
46	52+041	L	12,5	4	112 obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 41' 15,832"	23° 30' 7,654"	0,5
47	52+100	L	11	4	112 obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 41' 14,162"	23° 30' 6,067"	0,5
48	52+162	L	10,5	4	112 obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 41' 12,426"	23° 30' 4,416"	0,5
49	52+233	L	13	4	112 obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 41' 12,426"	23° 30' 4,416"	0,5
50	52+461	L	10,5	4	112 obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 41' 4,075"	23° 29' 56,454"	0,5
51	52+621	L	10,5	4	112, 126 obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 40' 59,505"	23° 29' 52,315"	0,5
52	52+733	L	12	4	112, obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 40' 56,446"	23° 29' 49,217"	0,5
53	52+846	L	10,5	4	112, obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 40' 53,283"	23° 29' 46,210"	0,5

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
54	52+894	L	10	4	112, obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 40' 51,938"	23° 29' 44,931"	0,5
55	53+041	L	10,5	4	112, obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 40' 47,824"	23° 29' 41,038"	0,5
56	53+079	L	10	4	112, obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne	52° 40' 46,737"	23° 29' 40,004"	0,5
57	53+335	L	14	4	112, 465, obr. Kol. Jagodniki, Gm. Dubicze Cerkiewne; 15 obr. Istok, Gm. Dubicze Cerkiewne	52° 40' 39,692"	23° 29' 32,990"	0,5
58	53+408	L	12,5	4	15, obr. Istok, Gm. Dubicze Cerkiewne	52° 40' 37,754"	23° 29' 30,530"	0,8
59	53+701	L	11,5	4	15, obr. Istok, Gm. Dubicze Cerkiewne	52° 40' 30,564"	23° 29' 20,382"	0,5
60	53+805	L	16	4	15, obr. Istok, Gm. Dubicze Cerkiewne	52° 40' 28,345"	23° 29' 17,234"	0,5
61	54+337	L	17	4	15, obr. Istok, Gm. Dubicze Cerkiewne	52° 40' 14,612"	23° 28' 58,520"	0,5
62	54+692	L	15	4	183, obr. Istok, Gm. Dubicze Cerkiewne	52° 40' 6,032"	23° 28' 46,465"	0,5
63	55+150	L	17,5	4	183, obr. Istok, Gm. Dubicze Cerkiewne	52° 39' 54,554"	23° 28' 31,051"	0,5
64	55+460	L	17,5	4	183, obr. Istok, Gm. Dubicze Cerkiewne, 480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 47,367"	23° 28' 19,403"	0,5
65	55+719	L	13	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 42,309"	23° 28' 8,426"	0,5
66	55+802	L	11,5	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 40,693"	23° 28' 4,935"	0,5
67	55+857	L	13	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 39,582"	23° 28' 2,609"	0,5

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
68	55+934	L	12	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 38,066"	23° 27' 59,342"	0,5
69	55+998	L	12,5	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 36,814"	23° 27' 56,697"	0,5
70	56+063	L	12,5	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 35,518"	23° 27' 53,934"	0,5
71	56+135	L	12,5	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 34,104"	23° 27' 50,884"	0,5
72	56+189	L	13,5	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 33,051"	23° 27' 48,609"	0,5
73	56+292	L	10,5	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 31,005"	23° 27' 44,244"	0,5
74	56+568	L	11	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 25,530"	23° 27' 32,695"	0,5
75	56+621	L	14	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 24,448"	23° 27' 30,445"	0,5
76	56+678	L	14,5	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 23,316"	23° 27' 28,057"	0,5
77	56+731	L	14	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 22,272"	23° 27' 25,817"	0,5
78	56+757	L	14	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 21,779"	23° 27' 24,752"	0,5
79	56+824	L	13	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 20,462"	23° 27' 21,906"	0,5
80	56+885	L	12,5	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 19,258"	23° 27' 19,304"	0,5

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
81	56+972	L	11	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 17,565"	23° 27' 15,652"	0,5
82	57+213	L	11	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 12,780"	23° 27' 5,509"	0,5
83	57+305	L	11,5	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 10,980"	23° 27' 1,643"	0,5
84	57+534	L	13,5	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 6,394"	23° 26' 52,061"	0,8
85	57+604	L	11	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 4,877"	23° 26' 49,173"	0,8
86	57+630	L	13	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 4,385"	23° 26' 48,137"	0,8
87	57+726	L	12	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 39' 2,490"	23° 26' 44,065"	0,8
88	57+870	L	11,5	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 38' 59,658"	23° 26' 38,006"	0,8
89	58+407	L	19	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne	52° 38' 49,187"	23° 26' 15,305"	0,5
90	58+593	L	12,5	4	480 obr. Dubicze Cerkiewne, Gm. Dubicze Cerkiewne, 1192/1 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 45,503"	23° 26' 7,360"	0,5
91	58+923	L	10,5	4	1192/1 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 39,004"	23° 25' 53,460"	0,5
92	59+101	L	10,5	4	1192/1 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 35,494"	23° 25' 45,939"	0,5
93	59+298	L	11	4	1192/1 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 31,618"	23° 25' 37,611"	0,5

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
94	59+803	L	14	4	1192/1, 1199, 839 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 21,481"	23° 25' 16,571"	0,5
95	59+877	L	16	4	837/1, 836 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 19,914"	23° 25' 13,556"	0,5
96	59+925	L	13	4	834 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 18,983"	23° 25' 11,535"	0,5
97	59+936	L	12	4	1192/1, 834 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 18,910"	23° 25' 10,898"	0,4
98	59+983	L	14,5	4	833, 832/3 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 17,842"	23° 25' 9,060"	0,5
99	60+026	L	14	4	832/4, 831 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 17,008"	23° 25' 7,256"	0,5
100	60+080	L	12	4	830/2 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 15,953"	23° 25' 4,971"	0,5
101	60+101	L	12,5	4	830/5, 830/6 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 15,541"	23° 25' 4,080"	0,5
102	60+134	L	11	4	829 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 14,897"	23° 25' 2,686"	0,5
103	60+149	L	10,5	4	1192/1, 829 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 14,733"	23° 25' 1,904"	0,4
104	60+167	L	10	4	1192/1, 828 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 14,378"	23° 25' 1,140"	0,4
105	60+201	L	12	4	828 ,1194, 827 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 13,581"	23° 24' 59,849"	0,5
106	60+209	L	10	4	1192/1, 827 obr . Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 13,555"	23° 24' 59,374"	0,4

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
107	60+245	L	13	4	827, 826 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 12,727"	23° 24' 58,007"	0,5
108	60+325	L	11,5	4	825 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 11,153"	23° 24' 54,595"	0,5
109	60+363	L	13,5	4	824, 823 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 10,419"	23° 24' 53,006"	0,5
110	60+372	L	9	4	1192/1, 823 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 10,364"	23° 24' 52,503"	0,4
111	60+432	L	13,5	4	822, 1489 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 9,067"	23° 24' 50,087"	0,5
112	60+511	L	12,5	4	821, 820/1 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 7,502"	23° 24' 46,729"	0,5
113	60+519	L	9	4	1192/1, 820/1 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 7,465"	23° 24' 46,281"	0,4
114	60+531	L	13,5	4	820/1, 820/3 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 7,120"	23° 24' 45,912"	0,5
115	60+606	L	13,5	4	819, 818/2 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 5,635"	23° 24' 42,749"	0,5
116	60+646	L	13,5	4	818/1, 817 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 4,848"	23° 24' 41,065"	0,5
117	60+736	L	13,5	4	816/1, 815 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 3,074"	23° 24' 37,270"	0,5
118	60+799	L	13,5	4	814/2, 814/5 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 1,834"	23° 24' 34,615"	0,5
119	60+822	L	13,5	4	814/3, 813/2 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 1,380"	23° 24' 33,643"	0,5

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
120	60+875	L	14,5	4	1192/1, 813/1 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 38' 0,405"	23° 24' 31,276"	0,5
121	60+958	L	16	4	1192/2 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 37' 58,879"	23° 24' 27,666"	0,5
122	61+005	L	17	4	1192/2 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 37' 57,909"	23° 24' 25,780"	0,5
123	61+059	L	16	4	1192/2, 1015/3 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 37' 56,686"	23° 24' 23,848"	0,5
124	61+103	L	15	4	1192/2, 1015/2, 1015/1 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 37' 55,560"	23° 24' 22,460"	0,5
125	61+218	L	12,5	4	1192/2 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 37' 52,274"	23° 24' 19,812"	0,5
126	61+298	L	12	4	1192/2 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 37' 49,832"	23° 24' 18,303"	0,5
127	61+429	L	12	4	1192/2 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 37' 45,871"	23° 24' 15,896"	0,5
128	61+462	L	12,5	4	1192/2 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 37' 44,873"	23° 24' 15,276"	0,5
129	61+564	L	11,5	4	1192/2 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 37' 41,777"	23° 24' 13,354"	0,5
130	61+622	L	11	4	1192/2 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 37' 40,023"	23° 24' 12,275"	0,5
131	61+725	L	12,5	4	1192/2, 1216 obr. Grabowiec, Gm. Dubicze Cerkiewne	52° 37' 36,891"	23° 24' 10,358"	0,5

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
132	62+159	L	12,5	4	1216 obr. Grabowiec, Gm. Dubicze Cerkiewne, 75 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 37' 23,751"	23° 24' 2,309"	0,5
133	62+393	L	11	4	75 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 37' 16,686"	23° 23' 57,858"	0,5
134	62+453	L	11	4	75 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 37' 14,859"	23° 23' 56,708"	0,5
135	62+521	L	11	4	75 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 37' 12,815"	23° 23' 55,420"	0,5
136	62+565	L	11,5	4	75 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 37' 11,490"	23° 23' 54,587"	0,5
137	62+659	L	10	4	75 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 37' 8,642"	23° 23' 52,787"	0,5
138	62+757	L	11	4	75 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 37' 5,699"	23° 23' 50,926"	0,5
139	62+971	L	11,5	4	75 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 59,216"	23° 23' 46,857"	0,5
140	63+124	L	14	4	75 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 54,597"	23° 23' 43,933"	0,5
141	63+175	L	11,5	4	75 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 53,057"	23° 23' 42,961"	0,5
142	63+263	L	11,5	4	75 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 50,400"	23° 23' 41,291"	0,5
143	63+329	L	11,5	4	75 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 48,410"	23° 23' 40,042"	0,5
144	63+380	L	11,5	4	75 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 46,886"	23° 23' 39,030"	0,5
145	63+460	L	11,5	4	75 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 44,526"	23° 23' 37,184"	0,5
146	63+687	L	23	4	64, 65, 66 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 38,400"	23° 23' 30,469"	0,5
147	63+874	L	15,5	4	68 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 33,562"	23° 23' 24,542"	0,5

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
148	63+687	L	18	4	75 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 37,023"	23° 23' 31,960"	0,5
149	63+969	L	8	4	75 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 27,734"	23° 23' 25,739"	0,5
150	64+102	L	10	4	266 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 27,875"	23° 23' 16,685"	0,5
151	64+290	L	10	4	269 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 23,646"	23° 23' 9,472"	0,5
152	64+463	L	12,5	4	271, 296 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 19,965"	23° 23' 2,471"	0,5
153	64+561	L	13	4	325 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 17,883"	23° 22' 59,001"	0,5
154	64+861	L	12,5	4	334 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 10,666"	23° 22' 47,988"	0,5
155	64+969	L	18,5	4	334, 335, 341 obr. Jelonka, Gm. Dubicze Cerkiewne	52° 36' 8,144"	23° 22' 44,127"	0,5
156	46+461	P	6,5	4	545/2, obr. Wierzchowskie, gm. Hajnówka	52° 43' 0,815"	23° 34' 2,629"	0,4
157	45+467	P	10	4	545/2, obr. Wierzchowskie, gm. Hajnówka	52° 43' 0,607"	23° 34' 2,537"	0,5
158	46+645	P	6,5	4	542, obr. Wierzchowskie, gm. Hajnówka	52° 43' 56,677"	23° 34' 55,838"	0,4
159	46+651	P	8,5	4	542, obr. Wierzchowskie, gm. Hajnówka	52° 43' 56,470"	23° 34' 55,669"	0,5
160	46+872	P	10	4	542, obr. Wierzchowskie, gm. Hajnówka	52° 43' 56,470"	23° 34' 55,669"	0,4
161	46+880	P	12,5	4	542, obr. Wierzchowskie, gm. Hajnówka	52° 43' 52,671"	23° 34' 45,326"	0,5
162	47+030	P	7,5	4	542, obr. Wierzchowskie, gm. Hajnówka	52° 42' 50,225"	23° 33' 38,216"	0,4
163	47+052	P	11	4	542, obr. Wierzchowskie, gm. Hajnówka	52° 42' 49,985"	23° 33' 37,209"	0,5
164	47+345	P	6,5	4	542, obr. Wierzchowskie, gm. Hajnówka	52° 42' 45,011"	23° 33' 23,903"	0,4

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
165	47+585	P	20	4	542, obr. Wierzchowskie, gm. Hajnówka, 19 obr. Hajnówka, gm. Hajnówka	52° 42' 41,221"	23° 33' 12,991"	0,5
166	47+812	P	13,5	4	18/2, 20, 22/2 obr. Hajnówka, gm. Hajnówka	52° 42' 37,314"	23° 33' 2,459"	0,5
167	47+846	P	15,5	4	22/2 obr. Wierzchowskie, gm. Hajnówka	52° 42' 36,735"	23° 33' 0,922"	0,5
168	47+933	P	9	4	36/1, 60, 36 obr. Hajnówka, gm. Hajnówka	52° 42' 35,297"	23° 32' 57,025"	0,5
169	48+186	P	12	4	80/3 obr. Hajnówka, gm. Hajnówka	52° 42' 31,049"	23° 32' 45,326"	0,5
170	48+467	P	10	4	81 obr. Hajnówka, gm. Hajnówka	52° 42' 26,457"	23° 32' 32,543"	0,5
171	48+535	P	10	4	110 obr. Hajnówka, gm. Hajnówka	52° 42' 25,314"	23° 32' 29,439"	0,5
172	48+588	P	12	4	108, 109 obr. Hajnówka, gm. Hajnówka	52° 42' 24,418'	23° 32' 27,004"	0,5
173	48+626	P	10	4	107 obr. Hajnówka, gm. Hajnówka	52° 42' 23,811"	23° 32' 25,351"	0,5
174	48+676	P	10,5	4	106 obr. Hajnówka, gm. Hajnówka	52° 42' 22,943"	23° 32' 22,987"	0,5
175	48+713	P	10	4	93 obr. Hajnówka, gm. Hajnówka	52° 42' 22,322"	23° 32' 21,298"	0,5
176	48+786	P	10	4	103 obr. Hajnówka, gm. Hajnówka	52° 42' 21,112"	23° 32' 18,004"	0,5
177	48+830	P	10	4	102 obr. Hajnówka, gm. Hajnówka	52° 42' 20,370"	23° 32' 15,982"	0,5
178	48+860	P	10	4	101 obr. Hajnówka, gm. Hajnówka	52° 42' 19,894"	23° 32' 14,582"	0,5
179	48+966	P	11	4	82 obr. Hajnówka, gm. Hajnówka	52° 42' 18,101"	23° 32' 9,753"	0,5
180	49+055	P	6,5	4	3, 4/1, 30 obr. Pasieczniki Duże, gm. Hajnówka	52° 42' 16,582"	23° 32' 5,732"	0,4
181	49+065	P	10	4	30 obr. Pasieczniki Duże, gm. Hajnówka	52° 42' 16,368"	23° 32' 5,483"	0,5
182	49+162	P	7	4	30, 4/1 obr. Pasieczniki Duże, gm. Hajnówka	52° 42' 14,824"	23° 32' 0,857"	0,4
183	49+168	P	10	4	30, obr. Pasieczniki Duże, gm. Hajnówka	52° 42' 14,603"	23° 32' 0,636"	0,5
184	49+313	P	6,5	4	30, 4/1 obr. Pasieczniki Duże, gm. Hajnówka	52° 42' 12,324"	23° 31' 53,969"	0,4

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
185	49+319	P	10	4	30, obr. Pasieczniki Duże, gm. Hajnówka	52° 42' 12,106"	23° 31' 53,760"	0,5
186	49+429	P	6,5	4	30, 4/1 obr. Pasieczniki Duże, gm. Hajnówka	52° 42' 10,381"	23° 31' 48,623"	0,4
187	49+436	P	11	4	30, obr. Pasieczniki Duże, gm. Hajnówka	52° 42' 10,179"	23° 31' 48,377"	0,5
188	49+508	P	8	4	5, 30, obr. Pasieczniki Duże, gm. Hajnówka	52° 42' 9,075"	23° 31' 45,074"	0,4
189	49+565	P	8	4	18,30 obr. Pasieczniki Duże, gm. Hajnówka	52° 42' 8,135"	23° 31' 42,453"	0,4
190	49+751	P	11	4	30 obr. Pasieczniki Duże, gm. Hajnówka	52° 42' 4,953"	23° 31' 33,983"	0,5
191	49+759	P	6,5	4	20,30 obr. Pasieczniki Duże, gm. Hajnówka	52° 42' 4,929"	23° 31' 33,558"	0,4
192	50+080	P	36	4	29,46,48/2 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 59,687"	23° 31' 18,771"	0,5
193	50+107	P	7	4	48/2 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 59,231"	23° 31' 17,530"	0,5
194	50+326	P	6,5	4	30, 52 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 55,513"	23° 31' 7,590'	0,4
195	50+333	P	10	4	30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 55,314"	23° 31' 7,390"	0,5
196	50+462	P	6	4	55, 30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 53,284"	23° 31' 1,400"	0,4
197	50+470	P	12	4	30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 53,052"	23° 31' 1,109"	0,8
198	50+556	P	6	4	57/1, 30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 51,719"	23° 30' 57,054"	0,4
199	50+565	P	13	4	30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 41,487"	23° 30' 56,741"	0,8
200	50+642	P	5,5	4	58, 30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 50,304"	23° 30' 53,145"	0,4
201	50+650	P	10,5	4	30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 50,103"	23° 30' 52,866"	0,8

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
202	50+718	P	5,5	4	61, 30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 49,052"	23° 30' 49,662"	0,4
203	50+725	P	10,5	4	30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 48,858"	23° 30' 49,431"	0,8
204	50+866	P	7	4	66, 30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 46,601"	23° 30' 42,871"	0,4
205	50+874	P	12	4	30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 46,384"	23° 30' 42,606"	0,8
206	50+930	P	6	4	68, 30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 45,525"	23° 30' 39,946"	0,4
207	50+940	P	12	4	30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 45,298"	23° 30' 39,602"	0,8
208	50+965	P	6	4	66, 30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 44,936"	23° 30' 38,353"	0,4
209	51+015	P	6	4	72, 30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 44,106"	23° 30' 36,059"	0,4
210	51+034	P	10,5	4	30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 43,702"	23° 30' 35,309"	0,8
211	51+042	P	6	4	76/2, 30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 43,628"	23° 30' 34,908"	0,4
212	51+105	P	10	4	30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 42,139"	23° 30' 32,413"	0,5
213	51+119	P	6	4	30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 41,871"	23° 30' 31,774"	0,4
214	51+322	P	15	4	30 obr. Pasieczniki Duże, gm. Hajnówka	52° 41' 36,177"	23° 30' 26,163"	0,5
215	51+332	P	6	4	64/2 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 35,960"	23° 30' 25,782"	0,4
216	51+658	P	6	4	64/2, 112 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 26,826"	23° 30' 17,090'	0,4
217	51+666	P	11	4	112 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 26,566"	23° 30' 17,018"	0,5
218	51+718	P	6,5	4	80 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 25,143"	23° 30' 15,492"	0,4

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
219	51+772	P	6,5	4	85 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 23,622"	23° 30' 14,050"	0,4
220	51+806	P	9,5	4	112 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 22,628"	23° 30' 13,280"	0,5
221	51+814	P	6,5	4	85, 112 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 22,469"	23° 30' 12,960"	0,4
222	51+924	P	10	4	112 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 19,328"	23° 30' 10,168"	0,5
223	51+931	P	6	4	86, 112 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 19,179"	23° 30' 9,842"	0,4
224	52+025	P	12,5	4	112 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 16,466"	23° 30' 7,467"	0,5
225	52+034	P	6,5	4	88 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 16,284"	23° 30' 7,100"	0,4
226	52+097	P	12,5	4	112 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 14,464"	23° 30' 5,464"	0,5
227	52+106	P	6,5	4	90, 112 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 14,257"	23° 30' 5,134"	0,4
228	52+159	P	12,5	4	112 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 12,724"	23° 30' 3,892"	0,5
229	52+169	P	6,5	4	92, 112 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 12,528"	23° 30' 3,516"	0,4
230	52+395	P	12,5	4	112 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 6,121"	23° 29' 57,611"	0,5
231	52+403	P	6,5	4	93, 112 obr. Kolonia Jagodniki, gm. Hajnówka	52° 41' 5,947"	23° 29' 57,259"	0,4
232	52+649	P	13	4	93, 112 obr. Kolonia Jagodniki, gm. Hajnówka	52° 40' 59,176"	23° 29' 50,613"	0,5
233	52+702	P	10	4	270 obr. Kolonia Jagodniki, gm. Hajnówka	52° 40' 57,638"	23° 29' 49,638"	0,5
234	52+729	P	10	4	270 obr. Kolonia Jagodniki, gm. Hajnówka	52° 40' 56,887"	23° 29' 48,439"	0,5
235	52+736	P	6,5	4	270, 112 obr. Kolonia Jagodniki, gm. Hajnówka	52° 40' 56,604"	23° 29' 48,396"	0,4

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
236	52+908	P	11	4	272 obr. Kolonia Jagodniki, gm. Hajnówka	52° 40' 51,823"	23° 29' 43,749"	0,5
237	53+322	P	13	4	461, 449, 112 obr. Kolonia Jagodniki, gm. Hajnówka	52° 40' 40,433"	23° 29' 32,555"	0,5
238	53+408	P	12	4	15 obr. Istok, gm. Dubicze Cerkiewne	52° 40' 38,212"	23° 29' 29,622"	0,5
239	53+508	P	12	4	15 obr. Istok, gm. Dubicze Cerkiewne	52° 40' 35,746"	23° 29' 26,187"	0,5
240	53+676	P	11	4	15 obr. Istok, gm. Dubicze Cerkiewne	52° 40' 31,584"	23° 29' 20,495"	0,5
241	53+954	P	12	4	15 obr. Istok, gm. Dubicze Cerkiewne	52° 40' 24,726"	23° 29' 10,899"	0,5
242	54+023	P	12,5	4	15 obr. Istok, gm. Dubicze Cerkiewne	52° 40' 23,027"	23° 29' 8,546"	0,5
243	54+337	P	14	4	15 obr. Istok, gm. Dubicze Cerkiewne	52° 40' 15,392"	23° 28' 58,020"	0,5
244	54+466	P	10	4	15 obr. Istok, gm. Dubicze Cerkiewne	52° 40' 12,021"	23° 28' 53,357"	0,5
245	54+695	P	12	4	15 obr. Istok, gm. Dubicze Cerkiewne	52° 40' 6,302"	23° 28' 45,607"	0,5
246	55+027	P	13,5	4	183 obr. Istok, gm. Dubicze Cerkiewne	52° 39' 58,066"	23° 28' 50,613"	0,5
247	55+150	P	15	4	183 obr. Istok, gm. Dubicze Cerkiewne	52° 39' 55,041"	23° 28' 30,080"	0,5
248	55+185	P	17,5	4	183 obr. Istok, gm. Dubicze Cerkiewne	52° 39' 54,110"	23° 28' 28,802"	0,5
249	55+461	P	16	4	183 obr. Dubicze Cerkiewne, gm. Dubicze Cerkiewne	52° 39' 47,973"	23° 28' 18,574"	0,5
250	55+722	P	12,5	4	183 obr. Dubicze Cerkiewne, gm. Dubicze Cerkiewne	52° 39' 42,749"	23° 28' 7,666"	0,5
251	56+146	P	12,5	4	84, 73, 72 obr. Dubicze Cerkiewne, gm. Dubicze Cerkiewne	52° 39' 34,372"	23° 27' 49,812"	0,5
252	56+643	P	13,5	4	84, 310, 313 obr. Dubicze Cerkiewne, gm. Dubicze Cerkiewne	52° 39' 24,554"	23° 27' 28,837"	0,5
253	56+748	P	15	4	315, 314 obr. Dubicze Cerkiewne, gm. Dubicze Cerkiewne	52° 39' 22,474"	23° 27' 24,442"	0,5

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
254	56+844	P	11,5	4	316 obr. Dubicze Cerkiewne, gm. Dubicze Cerkiewne	52° 39' 20,555"	23° 27' 20,422"	0,5
255	57+003	P	9	4	320/3 obr. Dubicze Cerkiewne, gm. Dubicze Cerkiewne	52° 39' 17,382"	23° 27' 13,795"	0,5
256	57+320	P	10,5	4	320/6 obr. Dubicze Cerkiewne, gm. Dubicze Cerkiewne	52° 39' 11,114"	23° 27' 0,439"	0,5
257	57+478	P	12	4	320/7 obr. Dubicze Cerkiewne, gm. Dubicze Cerkiewne	52° 39' 7,993"	23° 26' 53,755"	0,8
258	58+407	P	25	4	473, 430, 480 obr. Dubicze Cerkiewne, gm. Dubicze Cerkiewne	52° 38' 49,682"	23° 26' 14,965"	0,5
259	58+585	P	6,5	4	473, 480 obr. Dubicze Cerkiewne, gm. Dubicze Cerkiewne	52° 38' 46,071"	23° 26' 7,229"	0,4
260	58+592	P	11,5	4	320/7 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 46,017"	23° 26' 6,799"	0,5
261	58+714	P	7,5	4	1192/1 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 43,520"	23° 26' 1,797"	0,4
262	58+759	P	8,5	4	1192/1 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 42,613"	23° 25' 59,888"	0,4
263	58+916	P	12,5	4	1192/1 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 39,657"	23° 25' 53,657"	0,5
264	58+924	P	8,5	4	1192/1 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 39,387"	23° 25' 52,893"	0,4
265	59+298	P	10,5	4	1192/1 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 32,117"	23° 25' 36,988"	0,5
266	59+305	P	7	4	1192/1 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 31,887"	23° 25' 36,813"	0,4
267	59+389	P	12	4	1192/1 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 30,343"	23° 25' 33,179"	0,5
268	59+397	P	7	4	1192/1 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 30,077"	23° 25' 33,004"	0,4

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
269	59+464	P	12,5	4	1165/3 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 28,815"	23° 25' 29,642"	0,5
270	59+480	P	11	4	1192/1 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 28,474"	23° 25' 29,408"	0,4
271	59+529	P	12	4	1458 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 27,633"	23° 25' 27,146"	0,5
272	59+627	P	13,5	4	415,416 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 25,706"	23° 25' 23,032"	0,5
273	59+683	P	13,5	4	413,414 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 24,620"	23° 25' 20,671"	0,5
274	59+720	P	11,5	4	412 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 23,892"	23° 25' 19,085"	0,5
275	59+767	P	11,5	4	410, 411 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 22,986"	23° 25' 17,104"	0,5
276	59+791	P	11	4	410, 1192/1 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 22,359"	23° 25' 16,312"	0,4
277	59+798	P	13	4	409, 410 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 22,372"	23° 25' 15,783"	0,5
278	59+836	P	13	4	407/3, 406/2 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 21,618"	23° 25' 14,190"	0,5
279	59+873	P	13	4	405, 404 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 20,892"	23° 25' 12,633"	0,5
280	59+901	P	13	4	403, 402 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 20,339"	23° 25' 11,423"	0,5
281	59+925	P	11	4	401/3 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 19,869"	23° 25' 10,416"	0,5
282	59+951	P	13	4	400/2, 399/2 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 19,346"	23° 25' 9,354"	0,5
283	59+986	P	11	4	399/2, 1192/1 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 18,518"	23° 25' 8,073"	0,4
284	59+998	P	11,5	4	399/2, 1172, 398 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 18,433"	23° 25' 7,401"	0,5

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
285	60+010	P	10	4	397 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 18,183"	23° 25' 6,865"	0,5
286	60+030	P	11,5	4	396/2, 395 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 17,797"	23° 25' 5,975"	0,5
287	60+052	P	13	4	394, 395 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 17,365"	23° 25' 5,067"	0,5
288	60+098	P	13	4	393/2, 392 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 16,487"	23° 25' 3,118"	0,5
289	60+143	P	13	4	390, 389/3 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 15,577"	23° 25' 1,199"	0,5
290	60+150	P	12	4	1192/1, 389/3 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 15,291"	23° 25' 1,129"	0,4
291	60+166	P	12	4	388, 1192/1 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 14,974"	23° 25' 0,428"	0,4
292	60+172	P	11,5	4	388, 386 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 14,994"	23° 25' 0,018"	0,5
293	60+186	P	10	4	384 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 14,731"	23° 24' 59,420"	0,5
294	60+201	P	12	4	383 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 14,428"	23° 24' 58,772"	0,5
295	60+210	P	11	4	383, 1192/1 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 14,117"	23° 24' 58,610"	0,4
296	60+236	P	12	4	379 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 13,720"	23° 24' 57,321"	0,5
297	60+266	P	13	4	377, 378 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 13,130"	23° 24' 56,058"	0,5
298	60+295	P	13	4	375/2, 376 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 12,561"	23° 24' 54,820"	0,5
299	60+322	P	11,5	4	375/2, 374, 373/2 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 12,035"	23° 24' 53,726"	0,5
300	60+343	P	11,5	4	373/2, 372 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 11,631"	23° 24' 52,823"	0,5

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
301	60+364	P	13	4	371, 372 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 11,213"	23° 24' 51,939"	0,5
302	60+372	P	13	4	371, 1192/1 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 10,868"	23° 24' 51,811"	0,4
303	60+419	P	13	4	369, 1473 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 10,105"	23° 24' 49,592'	0,5
304	60+468	P	13	4	367, 1473 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 9,141"	23° 24' 47,530"	0,5
305	60+511	P	13	4	366, 1192/1 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 8,308"	23° 24' 45,728"	0,5
306	60+519	P	13	4	1192/1, 365 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' '8,016"	23° 24' 45,576"	0,4
307	60+556	P	13	4	364/1, 362/1 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' '7,415"	23° 24' 43,824"	0,5
308	60+579	P	11,5	4	362/1, 361 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 6,947"	23° 24' 42,854"	0,5
309	60+614	P	13	4	359, 360 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 6,258'	23° 24' 41,375"	0,5
310	60+655	P	13	4	357, 358 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 5,453"	23° 24' 39,652"	0,5
311	60+804	P	13	4	353, 355 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 2,521"	23° 24' 33,358"	0,5
312	60+873	P	11,5	4	1160/2 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 38' 1,172"	23° 24' 30,432"	0,5
313	60+967	P	16	4	1488, 799/2obr. Grabowiec, gm. Dubicze Cerkiewne	52° 37' 59,232"	23° 24' 59,420"	0,5
314	61+017	P	16	4	1192/2 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 37' 59,176"	23° 24' 59,420"	0,5
315	61+098	P	14	4	1192/2 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 37' 56,058"	23° 24' 21,754"	0,5
316	61+314	P	12,5	4	1192/2 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 37' 49,568"	23° 24' 17,132"	0,5

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
317	61+531	P	11,5	4	1192/2 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 37' 42,975"	23° 24' 13,116"	0,5
318	61+666	P	11,5	4	1192/2 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 37' 38,893"	23° 24' 10,639"	0,5
319	61+764	P	12	4	1192/2 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 37' 35,957"	23° 24' 8,661"	0,5
320	61+802	P	10	4	1192/2 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 37' 34,789"	23° 24' 8,030"	0,5
321	61+847	P	12	4	1192/2 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 37' 33,418"	23° 24' 7,255"	0,5
322	61+902	P	14	4	1192/2 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 37' 31,739"	23° 24' 6,209"	0,5
323	62+017	P	13	4	1192/2 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 37' 28,248"	23° 24' 4,095"	0,5
324	62+078	P	12	4	1192/2 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 37' 26,387"	23° 24' 2,986"	0,5
325	62+141	P	11,5	4	1192/2 obr. Grabowiec, gm. Dubicze Cerkiewne	52° 37' 24,473"	23° 24' 1,830"	0,5
326	62+448	P	10,5	4	75 obr. Jelonka, gm. Dubicze Cerkiewne	52° 37' 15,218"	23° 23' 55,995"	0,5
327	63+120	P	12,5	4	75 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 54,909"	23° 23' 43,175"	0,5
328	63+429	P	11,5	4	59, 60, 75 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 45,669"	23° 23' 37,103"	0,5
329	63+525	P	11	4	62, 61 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 42,981"	23° 23' 34,667"	0,5
330	63+585	P	11,5	4	58, 63 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 41,374"	23° 23' 32,914"	0,5
331	63+684	P	10,5	4	64, 65, 66 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 38,905"	23° 23' 29,930"	0,5
332	63+836	P	14	4	66, 68 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 34,923"	23° 23' 24,858"	0,5
333	63+964	P	12	4	72, 264, 258 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 31,711"	23° 23' 20,868"	0,5

Lp.	Km	Strona drogi	Projektowana długość przepustu/rowu	Umocnienie skarp brukowcem/darniowanie	Nr działki	Geograficzna lokalizacja przepustu		Średnica
			L [m]	m2		N	E	φ [m]
1	2	3	4	5	6	7	8	9
334	64+031	P	11,5	4	264, 265 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 29,955"	23° 23' 18,563"	0,5
335	64+056	P	11	4	265, 266, 267 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 29,342"	23° 23' 17,699"	0,5
336	64+110	P	11	4	266, 268 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 28,059"	23° 23' 15,745"	0,5
337	64+295	P	11	4	269, 270/5 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 23,970"	23° 23' 8,701"	0,5
338	64+463	P	10,5	4	296 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 20,429"	23° 23' 1,971"	0,5
339	64+560	P	12,5	4	325 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 18,045"	23° 22' 58,006"	0,5
340	64+814	P	12	4	333,334 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 12,167"	23° 22' 48,984"	0,5
341	64+966	P	11,5	4	335 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 8,628"	23° 22' 43,607"	0,5
342	65+300	P	12,5	4	75 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 1,035"	23° 22' 30,676"	0,5
343	64+969	L	18	4	75 obr. Jelonka, gm. Dubicze Cerkiewne	52° 36' 7,345"	23° 22' 44,916"	0,5

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]

Uwagi

10

[illegible]