

**TABELA OBJĘTOŚCI WYROWNAŃ PwM
MASĄ Z BETONU ASFALTOWEGO 0/25**

Załącznik nr 13

Kilometr	Hektometr	Powierzchnia	Średnia pow.	Odległość	Objętość
		m ²	m ²	m	m ³
18	684	0	z przeniesienia:		
18	684	1,46	0,73	0	0
18	693	1,202	1,331	9	11,979
18	718	0,964	1,083	25	27,075
18	743	0,532	0,748	25	18,7
18	768	1,113	0,8225	25	20,5625
18	793	0,898	1,0055	25	25,1375
18	818	0,741	0,8195	25	20,4875
18	847	0,548	0,6445	29	18,691
18	868	0,683	0,6155	21	12,9255
18	893	0,645	0,664	25	16,6
18	918	0,524	0,5845	25	14,6125
18	943	0,473	0,4985	25	12,4625
18	968	0,744	0,6085	25	15,2125
18	993	1,085	0,9145	25	22,8625
19	1	1,56	1,3225	8	10,58
19	1	0	0,78	0	0
19	111	0	0	110	0
19	111	1,56	0,78	0	0
19	118	1,302	1,431	7	10,017
19	143	0,748	1,025	25	25,625
19	168	0,576	0,662	25	16,55
19	193	0,537	0,5565	25	13,9125
19	218	0,537	0,537	25	13,425
19	243	0,523	0,53	25	13,25
19	268	0,652	0,5875	25	14,6875
19	293	0,523	0,5875	25	14,6875
19	318	0,523	0,523	25	13,075
19	343	0,536	0,5295	25	13,2375
19	368	0,523	0,5295	25	13,2375
19	393	0,522	0,5225	25	13,0625
19	418	1,050	0,786	25	19,65

734

430,326

**TABELA OBJĘTOŚCI WYRÓWNAŃ Pwm
MASĄ Z BETONU ASFALTOWEGO 0/25**

Zał. nr 13

Kilometr	Hektometr				
		Powierzchnia	Średnia pow.	Odległość	Objętość
		m2	m2	m	m3
19	418	1,050	z przeniesienia:	734	430,326
19	443	0,523	0,7865	25	19,6625
19	468	0,568	0,5455	25	13,6375
19	493	0,619	0,5935	25	14,8375
19	518	0,574	0,5965	25	14,9125
19	543	0,496	0,535	25	13,375
19	568	0,508	0,502	25	12,55
19	593	0,519	0,5135	25	12,8375
19	618	1,078	0,7985	25	19,9625
19	643	0,726	0,902	25	22,55
19	668	0,523	0,6245	25	15,6125
19	693	0,523	0,523	25	13,075
19	718	1,673	1,098	25	27,45
19	743	1,475	1,574	25	39,35
19	768	0,528	1,0015	25	25,0375
19	793	0,549	0,5385	25	13,4625
19	818	0,650	0,5995	25	14,9875
19	843	0,562	0,606	25	15,15
19	868	0,623	0,5925	25	14,8125
19	893	0,473	0,548	25	13,7
19	918	0,675	0,574	25	14,35
19	943	0,549	0,612	25	15,3
19	968	0,727	0,638	25	15,95
19	993	0,523	0,625	25	15,625
20	18	0,580	0,5515	25	13,7875
20	43	0,525	0,5525	25	13,8125

1359

856,113

**TABELA OBJĘTOŚCI WYRÓWNAŃ Pwm
MASĄ Z BETONU ASFALTOWEGO 0/25**

Zał. nr 13

Kilometr	Hektometr	Powierzchnia	Średnia pow.	Odległość	Objętość
		m2	m2	m	m3
20	43	0,525	z przeniesienia:	1359	856,113
20	68	0,612	0,5685	25	14,2125
20	93	0,543	0,5775	25	14,4375
20	118	0,682	0,6125	25	15,3125
20	143	0,776	0,729	25	18,225
20	168	0,822	0,799	25	19,975
20	193	0,895	0,8585	25	21,4625
20	218	0,931	0,913	25	22,825
20	243	0,865	0,898	25	22,45
20	268	1,201	1,033	25	25,825
20	293	0,940	1,0705	25	26,7625
20	318	0,688	0,814	25	20,35
20	343	0,950	0,819	25	20,475
			0,909	25	22,725
20	368	0,868	0,9105	25	22,7625
20	393	0,953	1,0035	25	25,0875
20	418	1,054	0,912	25	22,8
20	443	0,770	1,0355	25	25,8875
20	468	1,301	1,4305	3	4,2915
20	471	1,56	0,78	0	0
20	471	0	0	143	0
20	614	0	0,78	0	0
20	614	1,56	1,4685	4	5,874
20	618	1,377	1,2425	25	31,0625
20	643	1,108	1,066	25	26,65
20	668	1,024	0,773	25	19,325
20	693	0,522	0,543	25	13,575
20	718	0,564	0,542	25	13,55
20	743	0,520			

2059

1332,016

**TABELA OBJĘTOŚCI WYRÓWNAŃ Pwm
MASĄ Z BETONU ASFALTOWEGO 0/25**

Zał. nr 13

Kilometr	Hektometr	Powierzchnia	Średnia pow.	Odległość	Objętość
		m2	m2	m	m3
20	743	0,520	z przeniesienia:	2059	1332,016
20	768	0,565	0,5425	25	13,5625
20	793	0,479	0,522	25	13,05
20	818	0,522	0,5005	25	12,5125
20	843	0,745	0,6335	25	15,8375
20	868	0,713	0,729	25	18,225
20	893	0,868	0,7905	25	19,7625
20	918	1,156	1,012	25	25,3
20	943	0,681	0,9185	25	22,9625
20	968	0,763	0,722	25	18,05
20	993	1,020	0,8915	25	22,2875
21	18	1,501	1,2605	25	31,5125
21	43	1,198	1,3495	25	33,7375
21	68	1,046	1,122	25	28,05
21	93	1,021	1,0335	25	25,8375
21	118	0,717	0,869	25	21,725
21	143	1,154	0,9355	25	23,3875
21	168	1,258	1,206	25	30,15
21	193	0,926	1,092	25	27,3
21	218	0,644	0,785	25	19,625
21	243	0,742	0,693	25	17,325
21	268	0,878	0,81	25	20,25
21	293	0,730	0,804	25	20,1
21	318	0,625	0,6775	25	16,9375
21	343	0,498	0,5615	25	14,0375
				2659	1843,541

**TABELA OBJĘTOŚCI WYRÓWNAŃ Pwm
MASĄ Z BETONU ASFALTOWEGO 0/25**

Zał. nr 13

Kilometr	Hektometr				
		Powierzchnia	Średnia pow.	Odległość	Objętość
		m2	m2	m	m3
21	343	0,498	z przeniesienia:	2659	1843,541
21	368	1,132	0,815	25	20,375
21	393	1,037	1,0845	25	27,1125
21	418	1,496	1,2665	25	31,6625
21	443	0,926	1,211	25	30,275
21	468	0,960	0,943	25	23,575
21	493	1,137	1,0485	25	26,2125
21	518	0,951	1,044	25	26,1
21	543	0,751	0,851	25	21,275
21	568	0,533	0,642	25	16,05
21	593	1,043	0,788	25	19,7
21	618	1,324	1,1835	25	29,5875
21	643	1,304	1,314	25	32,85
21	668	0,636	0,97	25	24,25
21	693	0,549	0,5925	25	14,8125
21	718	0,518	0,5335	25	13,3375
21	718	0	0,259	0	0
22	196	0	0	478	0
22	196	0,572	0,286	0	0
22	218	0,994	0,783	22	17,226
22	243	1,002	0,998	25	24,95
22	268	0,675	0,8385	25	20,9625
22	293	0,802	0,7385	25	18,4625
22	318	0,752	0,777	25	19,425
22	343	1,152	0,952	25	23,8
				3659	2325,542

**TABELA OBJĘTOŚCI WYRÓWNAŃ Pwm
MASĄ Z BETONU ASFALTOWEGO 0/25**

Zał. nr 13

Kilometr	Hektometr	Powierzchnia	Średnia pow.	Odległość	Objętość
		m2	m2	m	m3
22	343	1,152	z przeniesienia:	3659	2325,542
22	368	1,223	1,1875	25	29,6875
22	377	1,46	1,3415	9	12,0735
22	377	0	0,73	0	0
22	683	0	0	306	0
22	683	1,46	0,73	0	0
22	693	1,038	1,249	10	12,49
22	718	0,523	0,7805	25	19,5125
22	743	0,555	0,539	25	13,475
22	768	0,555	0,555	25	13,875
22	793	0,522	0,5385	25	13,4625
22	818	0,593	0,5575	25	13,9375
22	843	0,517	0,555	25	13,875
22	868	0,576	0,5465	25	13,6625
22	893	0,534	0,555	25	13,875
22	918	0,851	0,6925	25	17,3125
22	943	0,761	0,806	25	20,15
22	968	0,908	0,8345	25	20,8625
22	993	0,770	0,839	25	20,975
23	18	0,532	0,651	25	16,275
23	43	0,526	0,529	25	13,225
23	68	0,512	0,519	25	12,975
23	93	0,755	0,6335	25	15,8375
23	118	0,635	0,695	25	17,375
23	143	0,875	0,755	25	18,875
23	168	0,900	0,8875	25	22,1875
23	193	0,764	0,832	25	20,8
23	218	0,586	0,675	25	16,875

4534

2729,193